


LARGE DIAMETER

CIRCULAR KNITTING MACHINE

ZENIT F

LARGE DIAMETER

ZENIT F




LARGE DIAMETER ZENIT F

Single Jersey three thread fleece machine.

LARGE DIAMETER ZENIT F

● ZENIT F

- Single jersey machine with 3 feeders per diameter inch capable to knit up to 4 track structures, with/without lycra.
- Excellent to knit two or three yarn plaited fabrics.
- Double guidance sinker cams in combination with well designed sinkers with tail ensures uniform loops all over the fabric and less wear and tear of sinkers.
- Machine is equipped with economical and common needles easily available all over the world.
- Yarn carrier in front of the raised needles for a perfect plating at high speed.
- Individual cam shells made by special aluminum alloy(ergal) having a great heat dissipation property.
- Automatic positioning of the fabric take down for quick removal of fabric roll.
- Possibility to convert the machine for the production of three thread fleece.
- Available with tubular as well as Open width frame(standard and industrial)equipped with motorized slitting and opening system by oblique bars.
- Open version can easily be converted into tubular from by a simple operation.
- Very compact open frame for an easy access to the knitting head.



Diameter in inch	Gauge	Number of feeds	Maximum Speed (RPM)
30"	12 - 24	90	28
32"	12 - 24	96	26
34"	12 - 24	102	24
36"	12 - 24	108	22

Standard equipment
Aluminum side creel
Positive feeding units
Individual cam shells prepared to receive up to 4 cam tracks
Automatic oiling system
Electronic motor drive(inverter)
LFA- Yarn input measuring device
Centralized stitch control
Electronic needles detector

Optionals
Lycra feeding units
Lapping device system
Industrial frame
S/J conversion kit

Application area
Outwear, Sportswear

DISCLAIMER:

Technical data given in this brochure are for information only. Santoni S.p.A. reserves the right to modify the machine features without forewarning and without the obligation to apply any modification to the machines already installed. Pictures are exemplifying and have not to be regarded as a reference.



SANTONI SPA

Via Carlo Fenzi, 14 - 25135 Brescia - Italy
Tel. +39 030 376711 Fax +39 030 3767400
P.IVA e CF: IT 00273280172
info@santoni.com - www.santoni.com